

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7715	hash adj function	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
L2	8	(US-20040044775-\$ or US-20020135801-\$).did. or (US-6182116-\$ or US-6256662-\$ or US-6282281-\$ or US-6487555-\$ or US-5838916-\$ or US-6668276-\$). did.	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
L3	1383247	file document html storage	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L4	1200584	path folder	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L5	31339	L3 near3 L4	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L6	41	1 same L5	US-PGPUB; USPAT	OR	ON	2006/06/08 19:39
L7	1	("20040181605").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 19:39
L8	247	(nfs.clm. cifs.clm.) and 3.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 20:18
L9	2600549	transcod\$4 compil\$4 translat\$4 compress\$4 scal\$4 convert\$4	US-PGPUB; USPAT	OR	ON	2006/06/08 20:19
L10	1615	file.clm. and protocol.clm. and L9. clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 20:19
L11	8144	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 20:37
L12	152	10 and 11 and 9	US-PGPUB; USPAT	OR	ON	2006/06/08 20:37
L13	30	8 and 11	US-PGPUB; USPAT	OR	ON	2006/06/08 20:37
S1	2521940	multi many	US-PGPUB; USPAT	OR	ON	2006/06/08 17:31
S2	1383247	file document html storage	US-PGPUB; USPAT	OR	ON	2006/06/08 17:31
S3	3206852	serial number identif\$5 id	US-PGPUB; USPAT	OR	ON	2006/06/08 17:33
S4	1200584	path folder	US-PGPUB; USPAT	OR	ON	2006/06/08 17:34
S5	2600549	transcod\$4 compil\$4 translat\$4 compress\$4 scal\$4 convert\$4	US-PGPUB; USPAT	OR	ON	2006/06/08 17:35

EAST Search History

S6	121858	S2 near3 S3	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S7	5566	S5 with S4 with S3	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S8	136	S6 with S4 with S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S9	843	S6 same S4 same S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:37
S10	3903	S2 same S3 same S4 same S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:37
S11	31339	S2 near3 S4	US-PGPUB; USPAT	OR	ON	2006/06/08 17:38
S12	8144	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 17:48
S13	2549	S12 and S2 and S3 and S4 and S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:49
S14	4245	S6 same S11	US-PGPUB; USPAT	OR	ON	2006/06/08 17:55
S15	3615	second adj protocol	US-PGPUB; USPAT	OR	ON	2006/06/08 17:56
S16	57	S15 with (S4 S3) with S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:56
S17	4312894	@ad<"20030313" @rlad<"20030313"	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58
S18	34	S9 and S12	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
S19	109	S12 and S10	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58
S20	98	S19 and S17	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58



protocol convert path serial nfs

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 397 for **protocol convert path serial** nfs with **Safesearch on**. (0.11 seconds)
[All articles](#) [Recent articles](#)

Compressing TCP/IP headers for low-speed **serial** links - group of 2 »

V Jacobson - dspace.cam.ac.uk

... compression possibility would be to **convert** each TCP ... semantically equivalent conversation in a **protocol** with smaller ... traffic will follow the ACDB **path** and some ...

[Cited by 264](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

FTP Access As a User-Defined File System

MK Gschwind, TU Wien - portal.acm.org

... so the ftp2nfsd server has to **convert** meta data ... In the **FTP-NFS protocol** translation service, we solved ... remote login ID), all further **path** components specify ...

[Cited by 7](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[book] **Nfs** Illustrated

B Callaghan - 1999 - books.google.com

... Native **Path** 444 16.8.3 Client and Server Port 444 16.9 WebNFS Security Negotiation 445 16.10 Summary 447 17 **NFS** Version 4 449 17.1 A nIETF **Protocol** 450 ...

[Cited by 52](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

History and Release - group of 2 »

A Schwarzmüller - dragonix.openhardware.net

... us check if the system finds the **path** to the ... down voltage regulator is used to **convert** the DC ... Circuit Board TCP/IP Transmission Control **Protocol** over Internet ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[book] **Ospf: Anatomy of an Internet Routing Protocol**

JT Moy - 1998 - books.google.com

... These routing protocols, and, in particular, the specific routing **protocol** called the Open Shortest **Path** First (OSPF) **protocol**, are the main subject of this ...

[Cited by 214](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

RFC 3668

SSHFT **Protocol** - tools.ietf.org

... any other assumptions; however, they can splice **path** name components ... set and be able to **convert** it to UTF ... Internet-Draft SSH File Transfer **Protocol** October 2004 ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

SAN over 10G ip™

SB Park - gocsc.com

... server and the storage devices are on a separate dedicated **path** than the ... SANs, an IP storage switch or router is needed to **convert** the FC **protocol** to iSCSI ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Building a practical HIPPI LAN

JK Renwick, CR Inc, MN Eagan - Local Computer Networks, 1992. Proceedings., 17th Conference ..., 1992 - ieeexplore.ieee.org

... s disks are "mounted" on all systems using **NFS protocol**. ... a different "light- weight" transport **protocol** will not ... of the PS32 switch to **convert** 12- bit ...

[Cited by 5](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[book] **Solaris 8: Part A & Part B** - group of 2 »

J Winsor - 2000 - books.google.com

... 197 clear_locks — Clear Locks Held on Behalf of an **NFS** Client 1 ... or Display Devices Used as Auxiliary Console Devices 201 conv_lp — **Convert** LP Configuration ...

[Web Search](#) - [Import into BibTeX](#)

Secure Shell Working Group J. Galbraith Internet-Draft VanDyke Software Expires: December 3, 2005 O. ...

SSHFT **Protocol** - tools.ietf.org

... other assumptions; however, they can splice **path** name components ... character set and be able to **convert** it to ... Internet-Draft SSH File Transfer **Protocol** June 2005 ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

protocol convert path serial nfs

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname hash function file system

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 1,120 for **pathname hash function file system** with **Safesearch on**. (0.14 seconds)
[All articles](#) [Recent articles](#)

Ivy: A read/write peer-to-peer file system - group of 38 »

A Muthitacharoen, R Morris, TM Gil, B Chen - Proc. of OSDI, 2002 - unix.org
 ... view block; this is essentially a self-certifying **pathname** [23 ... server also keeps
 a LRU cache of content-**hash** blocks (eg.. 2) over a WAN, 3) as a **function** of the ...
 Cited by 164 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Fast and secure distributed read-only file system - group of 29 »

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer Systems, 2002 - unix.org
 ... a symbolic link to a self-certifying **pathname** for an ... because our caches absorb the
 cost of **hash** verification ... **filesystem** performs well enough to **function** as an ...
 Cited by 118 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Separating key management from file system security - group of 29 »

D Maziores, M Kaminsky, MF Kaashoek, E Witchel - portal.acm.org
 ... HostID with SHA-1 [8], a collision- resistant **hash function**: ... Given this scheme, the
pathname of an SFS file ... the format of an actual self-certifying **path- name**. ...
 Cited by 147 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A 64-bit, shared disk file system for Linux - group of 6 »

KW Preslan, AP Barry, JE Brassow, GM Erickson, E ... - Mass Storage Systems, 1999. 16th IEEE Symposium on, 1999 - ieeeexplore.ieee.org
 ... directory lookups since each directory in the **pathname** requires one ... **filesystem** specific
 layer, it makes a **function** call to the **file system** dependent layer.
 Cited by 73 - [Web Search](#) - [Import into BibTeX](#)

A Fast File System for UNIX - group of 163 »

MK McKusick, WN Joy, SJ Leffler, RS Fabry - ACM Transactions on Computer Systems, 1984 - fmg-www.cs.ucla.edu
 ... un- used slots in nearly full **hash** tables [Knuth75 ... prepended to the rest of the **path-**
name, and this name is interpreted to yield the resulting **pathname**. ...
 Cited by 451 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

Archipelago: an island-based file system for highly available and scalable Internet services - group of 7 »

M Ji, E Felten, R Wang, JP Singh - USENIX Windows Systems Symposium, 2000 - db.unix.org
 ... index in two steps: first, hashing the **pathname** to a ... with an extendible **hash** table
 [8]. The universal **hash function** used in an island-based **filesystem** is a ...
 Cited by 28 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Accessing files in an Internet: the Jade file system - group of 8 »

HC Rao, LL Peterson - IEEE Transactions on Software Engineering, 1993 - doi.ieeeecs.org
 ... under the skeleton directory ldatbaseieee, the **path- name** Imike/ieee Note that
 a given Jade **pathname** refers to at ... A **hash** table is used to locate a particular ...
 Cited by 32 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

The design of a multicast-based distributed file system - group of 10 »

B Gronvall, A Westerlund, S Pink - Operating Systems Design and Implementation, 1999 - unix.org
 ... For each **pathname** component, the cached access rights in ... messages result from collisions
 in the **hash** from FileID ... can be detected by snooping the current table. ...
 Cited by 39 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Shoring up persistent applications - group of 3 »

MJ Carey, OG Tsatalos, SJ White, MJ Zwilling, DJ ... - Proceedings of the 1994 ACM SIGMOD international conference ..., 1994 - portal.acm.org
 ... with page-level locking, log-based recovery based on the ARIES algorithm [FZT+92 ...
 of the services provided by SHORE, including both its **file system** and database ...
 Cited by 341 - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#) - [BL Direct](#)

NASD scalable storage systems - group of 9 »

GA Gibson, DF Nagle, II William Courtright, N ... - Proceedings of the USENIX'99 Extreme Linux Workshop, 1999 - pdl.cmu.edu
 ... This allows **pathname** lookup to avoid accessing the **file** ... [Knudsen96] Knudsen, L.,
 Preneel, B., **Hash functions** based on ... MK et al., A Fast **File System** for UNIX ...
 Cited by 44 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

pathname hash function file system

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



protocol convert path serial

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 5,860 for protocol convert path serial. (0.15 seconds)
[All articles](#) [Recent articles](#)

... the Tree Identification Phase of the IEEE 1394 High-Performance Serial Bus (FireWire) Protocol - group of 4 »

MZ Calder, AZ Miller - Formal Aspects of Computing, 2003 - Springer

... phase of the IEEE 1394 high-performance serial bus (FireWire ... Using SPIN to Analyse the FireWire protocol 251 ... for some state along some execution path using LTL ...

Cited by 5 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A semi-custom voltage-island technique and its application to high-speed serial links - group of 4 »

JA Carballo, JL Burns, SM Yoo, I Vo, VR Norman - Proceedings of the 2003 international symposium on Low power ..., 2003 - portal.acm.org

... illustrated on complex multi-protocol high-speed ... level-shifter latching circuits convert logic levels ... of ASIC methodologies: • Critical path length reduction ...

Cited by 2 - [Web Search](#) - [Import into BibTeX](#)

Single board video codec for ISDN visual telephone

T Tajiri, Y Suzuki, S Nishimura, H Yoshimura - Acoustics, Speech, and Signal Processing, 1991. ICASSP-91., ..., 1991 - ieeexplore.ieee.org

... The second and third buses are used for video data or work data path. ... The RLP and RFP convert CIF to NTSC signals in digital, then the A ... H.221 Protocol CITT Rec ...

[Web Search](#) - [Import into BibTeX](#)

Compressing TCP/IP headers for low-speed serial links - group of 2 »

V Jacobson - dspace.cam.ac.uk

... compression possibility would be to convert each TCP ... semantically equivalent conversation in a protocol with smaller ... traffic will follow the ACDB path and some ...

Cited by 264 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

VAXcluster: a closely-coupled distributed system - group of 7 »

NP Kronenberg, HM Levy, WD Strecker - ACM Transactions on Computer Systems (TOCS), 1986 - portal.acm.org

... bad in the status table and the other path is tried ... The same control protocol is used to provide cluster-wide ... place holder) on a resource and then convert it to ...

Cited by 122 - [Web Search](#) - [Import into BibTeX](#)

Serial storage architecture - group of 5 »

ID Judd, PJ Murfet, MJ Palmer - IBM Journal of Research and Development, 1996 - research.ibm.com

... It defines the transmission protocol, configuration, and error ... is automatically bypassed if an alternate path is available ... 8B/10B code [6] to convert each byte ...

Cited by 3 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Automatic Synthesis of Communication Controller Hardware from Protocol Specifications - group of 2 »

P SPECIFICATION - doi.ieeeecs.org

... annotates all guards and actions along the path on this ... For that purpose, we had to convert the SystemC ... the same protocols with the Synopsys Protocol Compiler. ...

[Web Search](#) - [Import into BibTeX](#)

Implementing the Orwell protocol over a fibre-based high-speed ATM network

CF Nche, C Rodgers, DJ Parish - Electronics & Communication Engineering Journal, 1992 - ieeexplore.ieee.org

... 3. The PHIC device² implements the full Orwell 'A' protocol and is responsible ... to cope with the very high switching speeds in the serial data path. ...

Cited by 1 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Masking the overhead of protocol layering - group of 4 »

R van Renesse - Applications, Technologies, Architectures, and Protocols for ..., 1996 - portal.acm.org

... First, it minimizes the critical path by delaying all updating of the protocol state until ... Note that it is always possible to convert a protocol to its ...

Cited by 41 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A high-speed clockless serial link transceiver - group of 5 »

J Teifel, R Manohar - Asynchronous Circuits and Systems, 2003. Proceedings. Ninth ..., 2003 - ieeexplore.ieee.org

... slice of the on-chip parallel data path and a ... and ensures distributed mutual exclusion on the serial bus ... the current state of the three-wire protocol to encode ...

Cited by 6 - [Web Search](#) - [Import into BibTeX](#)

Go o o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

protocol convert path serial

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)
©2006 Google



pathname hash file system

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 765 for pathname hash file system. (0.13 seconds)
[All articles](#) [Recent articles](#)

A Fast File System for UNIX - group of 163 »

MK McKusick, WN Joy, SJ Leffler, RS Fabry - ACM Transactions on Computer Systems, 1984 - fmg-www.cs.ucla.edu
 ... un- used slots in nearly full **hash** tables [Knuth75 ... prepended to the rest of the **path-**
name, and this name is interpreted to yield the resulting **pathname**. ...
 Cited by 451 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

Fast and secure distributed read-only file system - group of 29 »

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer Systems, 2002 - unix.org
 ... handle >.) Clients verify that a directory contains the proper **pathname** when first ...
 Even small changes to the **file system** cause most of the **hash** tree under.
 Cited by 118 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Separating key management from file system security - group of 29 »

D Mazières, M Kaminsky, MF Kaashoek, E Witchel - portal.acm.org
 ... with SHA-1 [8], a collision- resistant **hash** function ... Given this scheme, the **pathname**
 of an SFS file ... 1 shows the format of an actual self-certifying **path- name**. ...
 Cited by 147 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Ivy: A read/write peer-to-peer file system - group of 38 »

A Muthitacharoen, R Morris, TM Gil, B Chen - Proc. of OSDI, 2002 - unix.org
 ... A user names an Ivy **file system** with the content-**haskey** of the view block;
 this is essentially a self-certifying **pathname** [23]. ...
 Cited by 164 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A cryptographic file system for UNIX - group of 105 »

M Blaze - Proceedings of the 1st ACM conference on Computer and ..., 1993 - portal.acm.org
 ... Encryption of **pathname** components uses a similar scheme, with ... with arguments contain-
 ing the full **path name** of a ... in the directory encrypted with a **hash** of the ...
 Cited by 185 - [Web Search](#) - [Import into BibTeX](#)

A 64-bit, shared disk file system for Linux - group of 6 »

KW Preslan, AP Barry, JE Brassow, GM Erickson, E ... - Mass Storage Systems, 1999. 16th IEEE Symposium on, 1999 - ieeeexplore.ieee.org
 ... a feature partic- ularly useful for directory lookups since each directory in the
pathname requires one directory file read. Consider a **file system** block size ...
 Cited by 73 - [Web Search](#) - [Import into BibTeX](#)

Archipelago: an island-based file system for highly available and scalable Internet services - group of 7 »

M Ji, E Felten, R Wang, JP Singh - USENIX Windows Systems Symposium, 2000 - db.usenix.org
 ... index in two steps: first, hashing the **pathname** to a ... an extendible **hash** table [8].
 The universal **hash** function used in an island-based **file system** is a ...
 Cited by 28 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Accessing files in an Internet: the Jade file system - group of 8 »

HC Rao, LL Peterson - IEEE Transactions on Software Engineering, 1993 - doi.ieeeecs.org
 ... under the skeleton directory **ldatabasell**, the **path- name** **lmike/ieee**. Note that
 a given Jade **pathname** refers to at ... A **hash** table is used to locate a particular ...
 Cited by 32 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

The design of a multicast-based distributed file system - group of 10 »

B Gronvall, A Westerlund, S Pink - Operating Systems Design and Implementation, 1999 - unix.org
 ... For each **pathname** component, the cached access rights in ... result from collisions in
 the **hash** from FileID ... File Conflicts in the Ficus **File System**, In Proceedings ...
 Cited by 39 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Unifying file system protection - group of 7 »

CA Stein, JH Howard, MI Seltzer - Proc. of the USENIX Technical Conference, 2001 - eecs.harvard.edu
 ... **File system** blocks are named and requested by their **hash** value. ... It contains the
 committed **hash** for every block, indexed by **file system** block number. ...
 Cited by 15 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

pathname hash file system

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



protocol conversion hash

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 3,900 for protocol conversion hash. (0.12 seconds)
[All articles](#) [Recent articles](#)

A scalable and provably secure hash based RFID protocol - group of 7 »

G Avoine, P Oechslin - International Workshop on Pervasive Computing and ... - doi.ieeecomputersociety.org
 A Scalable and Provably Secure Hash-Based RFID Protocol ... Indeed, in the brute- force,
 the hash chains are ... The conversion factor from units of brute-force to ...
[Cited by 19](#) - [Web Search](#) - [Import into BibTeX](#)

Designated confirmer signatures

D Chaum - EUROCRYPT, 1994 - Springer
 ... He computes the MA-signature on $X(a, b) @ F(m)$ where F is a suitable hash function
 and 31 ... Colin 90 Veronica Figure 3: **Conversion protocol 5 Conversion protocol** ...
[Cited by 92](#) - [Web Search](#) - [Import into BibTeX](#)

Design, implementation, and evaluation of Virtual Internet Protocol

F Teraoka, K Claffy, M Tokoro - Distributed Computing Systems, 1992., Proceedings of the ..., 1992 - ieeexplore.ieee.org
 ... prop- agating cache method, as an example of a virtual net- work **protocol**. ... There
 are several possible methods for address **conversion**, such as using some kind ...
[Cited by 35](#) - [Web Search](#) - [Import into BibTeX](#)

Introducing SCSI-to-IP cache for storage area networks - group of 8 »

X He, Q Yang, M Zhang - ... Processing, 2002. Proceedings. International Conference on, 2002 - ieeexplore.ieee.org
 ... The details of the cache coherence **protocol** are out of ... a program called ReqGenerator
 to **convert** the traces ... would need an iSCSI to SCSI **converter** costing \$5,083 ...
[Cited by 13](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Convertible Undeniable Signature Scheme - group of 5 »

SH Yun, TY Kim - High Performance Computing on the Information Superhighway, ... - doi.ieeeecs.org
 ... root of mod p by adjusting hash parameter hpr It can **convert** undeniable signature
 to the ordinary one ... of the proposed signature confirmation **protocol** is less ...
[Cited by 3](#) - [Web Search](#) - [Import into BibTeX](#)

Designated confirmer signatures and public-key encryption are equivalent - group of 2 »

T Okamoto - Advances in Cryptology CRYPTO - Springer
 ... as a three move **protocol**, while the other uses instead the extended
 Fiat-Shamir scheme [GQ88, OhOk88] as a three move **protocol**. ...
[Cited by 42](#) - [Web Search](#) - [Import into BibTeX](#)

Billing users and pricing for TCP - group of 11 »

RJ Edell, N McKeown, PP Varaiya - Selected Areas in Communications, IEEE Journal on, 1995 - ieeexplore.ieee.org
 ... This may be overcome by metering **protocol** header bytes as well as data bytes. EDELL
 er d.: BILLING USERS AND PRICING FOR TCP RAM Hash Function ' fRdWl fKAVZ I ...
[Cited by 86](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A caching strategy to improve iSCSI performance - group of 10 »

X He, Q Yang, M Zhang - Local Computer Networks, 2002. Proceedings. LCN 2002. 27th ..., 2002 - ieeexplore.ieee.org
 ... the other carries out SCSI and IP **protocol conversion** at a ... To encapsulate SCSI **protocol**
 over IP requires significant amount ... LBAs) and organized by a hash table ...
[Cited by 14](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Protocol issues in interconnecting ISDN, IN, and LAN

CH Chow, BC Res, NJ Morristown, H Kong - TENCON 90. 1990 IEEE Region 10 Conference on Computer and ..., 1990 - ieeexplore.ieee.org
 ... The **protocol converter** discussed in this paper deals with th **conversion** of both
 data and voice communication protocols, which is needed for multimedia ...
[Web Search](#) - [Import into BibTeX](#)

Secure implementation method of POP before SMTP using a relay server with SSL protocol

K Masui, M Tomoishi, N Yonezaki - Electronics and Communications in Japan (Part III Fundamental ..., 2004 - doi.wiley.com
 ... Kropauth hash -o sendmail.popauth The following description is then added to check ...
 SSL is employed as an example of **protocol conversion** by the relay server; in ...
[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

protocol conversion hash Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname to serial conversion

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)"to" is a very common word and was not included in your search [details](#)**Scholar**Results 1 - 10 of about 298 for **pathname to serial conversion** with Safesearch on. (0.19 seconds)[All articles](#) [Recent articles](#)User's Manual - group of 10 »

BHC Kit - Applied Biosystems, Foster City, CA, USA, 1999 - jameco.com

... You must have an IBM-compatible PC with a CD-ROM drive, at least one free **serial** port (some applications use two **serial** ports), and one of the following ...[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)1 Features - group of 11 »

DAFIR Filter - support.xilinx.co.jp

... 2 N Word LUT B x(n) Parallel-to-**Serial Converter** B-bit Shift Registers DA LUT Address

Sequence Partial Products N-1 Shift Registers PSC Time Skew Buffer (TSB) ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)IF/Prolog V5.3 - group of 3 »

Q Reference - ifcomputer.com

... Prolog command line parameters -root **pathname** Specify **pathname** under which the files of the Prolog system are installed. ... Term **conversion** +Structure =.. ?List ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)... Requests Proposals For Digital Images from Original Documents Text **Conversion** and SGML-Encoding ... - group of 3 »

S No, C No - lcweb2.loc.gov

... Digital Images from Original Documents Text **Conversion** and SGML-Encoding NationalDigital Library Program ... C-23 C.11 TEXT **CONVERSION** AND SGML - ENCODING C-25 ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)DSP56303EVM User's Manual - group of 12 »

I Motorola, SP Sector - DSP56303EVMUM/AD, Semiconductor Products Sector, DSP ..., 1998 - freescale.com

... 3-8 3.5 Command **Converter** 3-12 3.6.1 **Serial**

Communication Interface Port (SCI).

[Cited by 1](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)Data Transport

TCP IF - doi.wiley.com

... SITE <Sp> <string> <CRLF> SY ST <CRLF> STAT [<Sp> <**pathname**>] <CRLF> Status ... Figure8-5 illustrates the **conversion** process from the local terminalhost format to ...[Web Search](#) - [Import into BibTeX](#)Section 10: Data Interchange Format

RV IRV - ieeexplore.ieee.org

... If a **pathname** does not fit in the space provided, the format-creating utility ... **name**. ...are identified by each file having the same dev- ice and file **serial** number ...[Web Search](#) - [Import into BibTeX](#)User's Manual - group of 18 »

I Motorola, SP Sector - www-dsp.eurec.fr

... POWER MC33078 MC34164 SW1 P1 **Serial** # LED MC74HCT241 J3 ISA CONNECTOR J1 J4 COMMAND**CONVERTER** SELECT J5 ESSIO JTAG J2 MCM6306 MCM6306 ESSIO/SCI Debug Power J4 ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)To whom it might concern: This is the final report for the Tech-X Phase II SBIR project "CORBA for ...

S Shasharina - osti.gov

... IDL - CORBA - IDL **Conversion** The IDL-CORBA bridge supports a rich subset of ... simpleuser interface and requires very little refactoring of existing **serial** code ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)User's Manual

AOBS FLOW - nwo.usace.army.mil

... 2. Provide means to **convert** data into a standardized ... inputted, as well as the DSS**pathname** for the ... annual flow-volumes, annual lag-1 **serial** or autocorrelation ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

pathname to serial conversion Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname to identify

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"to" is a very common word and was not included in your search [\[details\]](#)

Scholar

Results 1 - 10 of about 2,250 for [pathname to identify](#) with Safesearch on. (0.12 seconds)
[All articles](#) [Recent articles](#)

[ITC File System Design - group of 2 »](#)

S Park - reports-archive.adm.cs.cmu.edu

... into VICE. As you append components to a **pathname**, you **identify** subdirectories until eventually you arrive at a file. For example, to find the file associated ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Providing a Linux API on the scalable K42 kernel - group of 6 »](#)

J Appavoo, M Auslander, D Edelson, D Da Silva, O ... - Proceedings of the 2003 USENIX Technical Conference, FREENIX ... - research.ibm.com

Page 1. Providing a Linux API on the Scalable K42 Kernel Jonathan Appavoo Computer

Science Department University of Toronto jonathan@eecg.toronto.edu ...

[Cited by 8](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Real-time UNIX application filestores - group of 4 »](#)

LE Heindel, VA Kasten - Real-Time Technology and Applications Symposium, 1995. ..., 1995 - doi.ieeeecs.org

... Thus, the **path- name** "/AIL" "/AIMIU/X" and the **pathname** "IBPIQ" each ... an application process uses an internal key to **identify** desired files ...

[Web Search](#) - [Import into BibTeX](#)

[\[PS\] An Object Base for Attributed Software Objects - group of 5 »](#)

A Lampen, A Mahler - Proc. EUUG Autumn Conference - unibw-muenchen.de

... and directory entries. The **(path-)name** attribute is the sole means to **identify** and access a filesystem object. This turns out to ...

[Cited by 14](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Variable granularity cache coherence - group of 7 »](#)

L Mummert, M Satyanarayanan - ACM SIGOPS Operating Systems Review, 1994 - portal.acm.org

... These considerations preclude the use of **pathname** prefixes to **identify** the units of validation. The level of granularity we have chosen is the ...

[Cited by 16](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Network Working Group B. Callaghan Request for Comments: 2055 Sun Microsystems, Inc. Category: ... - group of 35 »](#)

WS Specification - bgp.potaroo.net

... Even though the **pathname** destination is in an exported filesystem, the server cannot return ... so that anonymous FTP pathnames could be used to **identify** files in ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[RFC 2055 \(RFC2055\)](#)

WS Specification - faqs.org

... file" or LOOKUP 0x0 "/export/that/file" Even though the **pathname** destination is ... FTP archive, so that anonymous FTP pathnames could be used to **identify** files in ...

[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[Supporting interactive presentation for distributed multimedia applications - group of 3 »](#)

JD Bates, JD Bacon - Multimedia Tools and Applications, 1995 - Springer

... An example is a source device VideoRepository which requires a repository address and a **pathname** to **identify** an object in the repository. ...

[Cited by 13](#) - [Web Search](#) - [Import into BibTeX](#)

["SLOWER THAN A DEAD SNAIL?"-AN ORACLE & UNIX TUNING CASE-STUDY - group of 2 »](#)

T Foxon - Int. CMG Conference, 2001 - metron.co.uk

... The user program will **identify** the file by **<pathname ... Jan/01 Path Name Resolutions** (/sec) Directory I/O (/sec) ... indicates a very high level of **pathname** resolution ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[A general-purpose file system for secondary storage - group of 3 »](#)

RC Daley, PG Neumann - Proc. AFIPS, 1965 - multicians.org

... numbers are used for descriptive purposes only, to **identify** directories in ...

CHANGEDIRECTORY PATHNAME., where the **path name** may be relative to the (old) working ...
[Cited by 48](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

pathname to identify

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



dfs to nfs

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"to" is a very common word and was not included in your search details

Scholar

Results 1 - 10 of about 736 for dfs to nfs with Safesearch on. (0.12 seconds)

[All articles](#) [Recent articles](#)

Distributed file systems: focus on Andrew File System/Distributed File Service (AFS/DFS) - group of 2 »
 R Tobbicke, G CERN - Mass Storage Systems, 1994. Towards Distributed Storage and ..., 1994 - [ieeexplore.ieee.org](#)
 ... In modern versions of NFS or in DFS, a client can specify which file servers can
 be trusted. In AFS, the granularity is the administrative domain (or cell). ...
 Cited by 9 - [Web Search](#) - [Import into BibTeX](#)

NFS Version 3 Design and Implementation - group of 14 »
 B Pawlowski, C Juszczak, P Staubach, C Smith, D ... - Proceedings of the Summer USENIX Conference, 1994 - [cs.pitt.edu](#)
 Page 1. NFS Version 3 ... NFS Version 2 has an artifact of a proposed inter- \$ face
 for asynchronous writes (the undefined £ WRITECACHE procedure). ...
 Cited by 106 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Fractal dimension of wood surfaces from sorption isotherms
 SGF Hatzikiriakos, SF Avramidis - Wood Science and Technology, 1994 - Springer
 ... reflects the fractal nat- ure of sorption. Thus the fractal dimension, dfs,
 of the surface can be determined from dfs = 2 + nfs (8) ...
 Cited by 5 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Implementing a shared file system on a HIPPI disk array
 KC Matthews, CR Inc, MN Eagan - Mass Storage Systems, 1995. Storage-At the Forefront of ..., 1995 - [ieeexplore.ieee.org](#)
 ... and metadata. Sharing disk file systems is typically accomplished by using
 network based file systems such as NFS and DFS. SFS is ...
 Cited by 7 - [Web Search](#) - [Import into BibTeX](#)

Lean-DFS: A distributed filesystem for resource starved clients
 S Antony, G Barua - 2004 - Springer
 ... research goals. General information on DFS can be found in [1, 2]. NFS,
 4, 5] is the most widely used distributed filesystem. There ...
 Cited by 1 - [Web Search](#) - [Import into BibTeX](#)

[CITATION] ... Authentication for Distributed File Systems: As Applied to a DCE DFS-to-NFS File System Translator
 T Mistretta, W Sommerfeld - proceedings of the PSRG Workshop on Network and Distributed ..., 1994
[Web Search](#) - [Import into BibTeX](#)

[doc] DISTRIBUTED FILE SYSTEMS
 F Isaila - [ipd.uka.de](#)
 ... DFS implementations. NFS (Network File System). NFSs the most popular DFS.
 The basic entities of NFS architecture are servers and clients. ...
[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Perspectives on high-performance file service
 B Nelson, A Syst, CA Santa Clara - Comcon Spring'94, Digest of Papers. - [ieeexplore.ieee.org](#)
 ... The topics covered include: the roles of reliability, capacity, performance, and
 administration in large-site data storage; DFS versus NFS: will force or ...
[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Einführung von DCE am Rechenzentrum - group of 6 »
 ... kommen zur Anwendung, DFS besitzt einen Netzwerk- ... - [dochoost.rz.hu-berlin.de](#)
 ... Für diese Rechner wird ein DFS/NFS-Secure Gateway eingerichtet, das diesen einen
 Zugriff zum DFS ermöglicht (Bild 7). Um eine Zugriffsberechtigung zu erlangen ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Evaluation and Characterization of Secure File Storage in Client Parallel I/O
 DF Beck - [hpc.unm.edu](#)
 ... (ie, DFS and NFS test 1 tests), then all of the test 2 data, etc.. determine whether
 a test is accessing DFS or NFS and then invokes mrun.sh (see above). ...
[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

dfs to nfs

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google